


**SCHEMATIC OF THE
HEATHKIT®
FM STEREO TUNER
MODEL CR-1000A**

NOTES:

1. ALL RESISTORS ARE 1/2 WATT UNLESS MARKED OTHERWISE. RESISTORS ARE IN OHMS (K=1,000, M=1,000,000).
2. CAPACITOR VALUES LESS THAN 1 ARE IN μ F. VALUES OF 1 AND ABOVE ARE IN μ F UNLESS MARKED OTHERWISE.
3. ∇ THIS SYMBOL INDICATES GROUND FOIL ON A CIRCUIT BOARD.
4. \equiv THIS SYMBOL INDICATES CHASSIS GROUND.
5. \square THIS SYMBOL INDICATES CONNECTING POINTS ON THE CIRCUIT BOARD.
6. FB FERRITE BEAD SYMBOL.
7. \square THIS SYMBOL INDICATES A VOLTAGE MEASUREMENT TAKEN UNDER "NO SIGNAL" CONDITIONS, WITH THE MUTE ACTIVATED.
8. \circ THIS SYMBOL INDICATES A VOLTAGE MEASUREMENT TAKEN WHEN THERE IS A STEREO SIGNAL PRESENT.
9. * THIS SYMBOL INDICATES A VOLTAGE THAT VARIES ACCORDING TO THE SETTINGS OF R10.
10. ALL VOLTAGE MEASUREMENTS TAKEN WITH A HIGH-IMPEDANCE INPUT VOLTMETER AND MAY VARY $\pm 20\%$.



**SCHEMATIC OF THE
HEATHKIT®
CRA-1000-1
AMPLIFIER**